


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

UNC45B Polyclonal Antibody


E-AB-52442 Catalog No. Reactivity H,M Storage Store at -20°C. Avoid freeze / thaw cycles. Rabbit Host **Applications** WB,IHC,ELISA **Isotype IgG**

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Images



Western blot analysis of Human heart tissue lysate using UNC45B Polyclonal Antibody at dilution of 1:600



Immunohistochemistry of paraffinembedded Human liver cancer tissue using UNC45B Polyclonal Antibody at dilution of $1:65(\times 200)$

Immunogen Information

Fusion protein of human UNC45B **Immunogen**

Gene Accession BC101063 **Swissprot** Q8IWX7

Synonyms Cardiomyopathy associated 4, CMYA4

,FLJ38610,MGC119540,MGC119541,UNC45

,UNC45B

Product Information

Calculated MW 104/95 kDa **Observed MW** Refer to figures

Buffer PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

Purify Antigen affinity purification

Dilution WB 1:500-1:2000, IHC 1:50-1:300, ELISA

1:5000-1:10000

Background

This gene encodes a co-chaperone required for folding and accumulation of type II myosins. The protein consists of three tetratricopeptide repeat motifs at the N-terminus that form a complex with heat shock protein 90, a central region of unknown function that is conserved in all Unc-45 proteins, and a C-terminal Unc-45/Cro1/She4 domain. The protein is expressed at high levels in striated muscle, where its muscle myosin chaperone activity is dependent on heat shock protein 90 acting as a cochaperone. A missense mutation in this gene has been associated with cataract development. Alternative splicing results in multiple transcript variants.